

Наименование ПС	Дисп. номер	Установленная мощность, МВА	Номинальное напряжение, кВ				Номинальный ток, А				Ток нагрузки за 1 час, А					Коэфф. загрузки за 1ч, %	Ток нагрузки за 4 часа, А					Коэфф. загрузки за 4ч, %	Ток нагрузки за 11 часов, А					Коэфф. загрузки за 11ч, %	Ток нагрузки за 19 часов, А					Коэфф. загрузки за 19ч, %				
			U ₂₂₀	U ₁₁₀	U ₃₅	U _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}
Терехов	T-1	6.3		115.0	38.50	11.0		31.6	94.5	330.8			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00
Терехов	T-2	6.3		115.0	38.50	11.0		31.6	94.5	330.8			60	18.14			60	18.14			60	18.14			64	19.35			64	19.35			64	19.35			64	19.35
Трикота	T-1	10.0			35.75	6.3			157.0	916.0			275	30.02			250	27.29			370	40.39			345	37.66			345	37.66			345	37.66			345	37.66
Трикота	T-2	10.0			36.75	6.3			157.0	916.5			150	16.37			130	14.18			230	25.10			255	27.82			255	27.82			255	27.82			255	27.82
Топаз	T-1	16.0		115.0		6.6		80.3		1400.0			310	22.14			340	24.29			505	36.07			515	36.79			515	36.79			515	36.79			515	36.79
Топаз	T-2	10.0		110.0		6.6		52.5		875.0			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00
Угловая	T-1	16.0			36.75	6.3			251.5	1466.0			940	64.12			940	64.12			985	67.19			1020	69.58			1020	69.58			1020	69.58			1020	69.58
Угловая	T-2	16.0			36.75	6.3			251.5	1466.0			590	40.25			570	38.88			645	44.00			645	44.00			645	44.00			645	44.00			645	44.00
Факел	T-1	10.0		115.0	38.50	6.6		50.2	150.0	875.0		25.8	76.9	34	51.42		25.8	76.9	34	51.42		28.3	84.4	36	56.29		28.8	86.0	36	57.33			36	57.33			36	57.33
Факел	T-2	10.0		115.0	38.50	6.6		50.2	150.0	875.0		27.1	83.0	23	54.08		26.9	82.2	23	53.56		28.6	87.2	25	56.88		29.2	89.7	23	58.23			23	58.23			23	58.23
Шахтов	T-1	10.0			38.50	6.3			150.5	917.0			470	51.25			440	47.98			510	55.62			585	63.79			585	63.79			585	63.79			585	63.79
Шахтов	T-2	10.0			36.75	6.3			157.1	916.4			420	45.83			410	44.74			500	54.56			540	58.93			540	58.93			540	58.93			540	58.93
Шкот.вс	T-1	5.6			35.00	6.3			92.4	513.2			1	0.19			1	0.19			1	0.19			1	0.19			1	0.19			1	0.19			1	0.19
Шкот.вс	T-2	5.6			35.00	6.3			92.4	513.2			4	0.78			4	0.78			4	0.78			4	0.78			4	0.78			4	0.78			4	0.78
Шкотов	T-1	6.3			35.00	6.3			104.0	578.0			370	64.01			370	64.01			410	70.93			420	72.66			420	72.66			420	72.66			420	72.66
Шкотов	T-2	6.3			35.00	6.3			104.0	578.0			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00
Шахта-7	T-1	16.0		115.0		6.6		80.3		1400.0			840	60.00			800	57.14			985	70.36			990	70.71			990	70.71			990	70.71			990	70.71
Шахта-7	T-2	16.0		115.0		6.6		80.3		1400.0			635	45.36			595	42.50			885	63.21			955	68.21			955	68.21			955	68.21			955	68.21
Штыков	T-1	16.0		115.0		6.6		80.3		1400.0		17.1	0.0	325	21.30		17.4	0.0	330	21.63		18.9	0.0	360	23.60		18.7	0.0	355	23.27			355	23.27			355	23.27
Штыков	T-2	16.0		115.0		6.6		80.3		1399.0		24.5	0.0	465	30.48		23.4	0.0	445	29.17		26.6	0.0	505	33.10		26.3	0.0	500	32.77			500	32.77			500	32.77
Шмидтс	T-1	2.5			35.00	6.3			41.2	229.0			55	24.02			55	24.02			55	24.02			55	24.02			55	24.02			55	24.02			55	24.02
Шмидтс	T-2	2.5			35.00	6.3			41.2	229.0			120	52.40			120	52.40			120	52.40			120	52.40			120	52.40			120	52.40			120	52.40
Безверх	T-1	4.0			35.00	11.0			66.0	220.0			63	28.64			55	25.00			65	29.55			65	29.55			65	29.55			65	29.55			65	29.55
Бараба	T-1	6.3		110.0	38.50	11.0		33.1	94.5	331.0		10.6	0.0	117	32.13		10.2	0.0	112	30.76		11.1	0.0	122	33.51		11.5	0.0	127	34.88			127	34.88			127	34.88
Бараба	T-2	6.3		121.0	38.50	10.5		30.1	94.5	346.0		18.2	40.0	71	60.53		18.2	40.0	71	60.53		19.3	43.5	71	63.98		19.3	43.5	71	63.98			71	63.98			71	63.98
Гвоздев	T-1	1.6			35.00	10.9			26.4	84.7			47	55.49			47	55.49			47	55.49			47	55.49			47	55.49			47	55.49			47	55.49
Занавес	T-1	1.0			35.00	11.0			16.5	53.0			51	96.23			51	96.23			53	100.00			53	100.00			53	100.00			53	100.00			53	100.00
Занавес	T-2	1.0			35.00	11.0			16.5	53.0			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00
Краскин	T-1	10.0		115.0	38.50	11.0		50.2	150.0	525.0		16.5	0.0	182	32.96		15.2	0.0	167	30.24		16.1	0.0	177	32.05		17.0	0.0	187	33.86			187	33.86			187	33.86
Краскин	T-2	10.0		115.0	38.50	11.0		50.2	150.0	525.0		28.7	91.8	0	57.17		28.8	92.1	0	57.35		31.1	99.4	0	61.86		31.5	100.8	0	62.76			0	62.76			0	62.76
Посыет	T-1	4.0			35.00	10.5			66.0	220.0			95	43.18			95	43.18			105	47.73			95	43.18			95	43.18			95	43.18			95	43.18
Посыет	T-2	4.0			35.00	10.5			66.0	220.0			120	54.55			120	54.55			135	61.36			150	68.18			150	68.18			150	68.18			150	68.18
Примор	T-1	1.8			35.00	10.5			20.7	99.0			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00			0	0.00
Примор	T-2	4.0			35.00	10.5			66.0	220.0			85	38.64			85	38.64			95	43.18			95	43.18			95	43.18			95	43.18			95	43.18
Славян	T-1	16.0		115.0	38.50	11.0		80.3	240.0	840.0		43.1	18.7	410	53.69		42.4	16.3	410	52.77		47.4	19.3	455	59.01		50.6	19.3	490	62.98			490	62.98			490	62.98
Славян	T-2	16.0		115.0	38.50	11.0		80.3	240.0	840.0		36.4	0.0	400	45.28		36.4	0.0	400	45.28		43.6	0.0	480	54.34		45.5	0.0	500	56.61			500	56.61			500	56.61
Троица	T-1	6.3		115.0	38.50	11.0		31.6	94.50	333.0		0.0	0.0	0	0.00		0.0	0.0	0	0.00		0.0	0.0	0	0.00		0.0	0.0	0	0.00			0	0.00			0	0.00
Троица	T-2	10.0		115.0	38.50	11.0		50.2	150.00	525.0		32.9		362	65.56		32.5		357	64.65		35.7		393	71.17		37.5		412	74.61			412	74.61			412	74.61
Хасанск	T-1	2.5			35.00	10.5			41.2	137.5			10	7.27			11	8.00			11	8.00			11	8.00			11	8.00			11	8.00			11	8.00
Астафы	T-1	3.2			35.00	6.3			52.8	293.0			120	40.96			110	37.54			135	46.08			125	42.66			125	42.66			125	42.66			125	42.66
Астафы	T-2	3.2			35.00	6.3			52.8	293.0			110	37.54			115	39.25			135	46.08			120	40.96			120	40.96			120	40.96			120	40.96
Бархат	T-1	10.0			36.75	6.3			157.0	916.0			260	28.38			260	28.38			355	38.76			305	33.30			305	33.30			305	33.30			305	33.30
Бархат	T-2	10.0			34.50	6.3			157.0	917.0			220	23.99			220	23.99			305	33.26			290	31.62			290	31.62			290	31.62			290	31.62
Владим	T-1	6.3			35.																																	

Наименование ПС	Дисп. номер тр-ра	Установленная мощность, МВА	Номинальное напряжение, кВ				Номинальный ток, А				Ток нагрузки за 1 час, А					Коэфф. загрузки за 1ч, %	Ток нагрузки за 4 часа, А					Коэфф. загрузки за 4ч, %	Ток нагрузки за 11 часов, А					Коэфф. загрузки за 11ч, %	Ток нагрузки за 19 часов, А					Коэфф. загрузки за 19ч, %
			U ₂₂₀	U ₁₁₀	U ₃₅	U _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}	
Насос	T-2	6.3		115		6.3		31.6		578		0.0		0		0.00		0.0		0		0.00		0.0		0		0.00		0.0		0		0.00
Новоп	T-1	6.3		115	38.5	11		31.6	94.5	331		17.1	2.0	187		54.22		16.8	1.0	187		53.25		18.8	1.0	211		59.38		18.0	1.0	204		58.00
Новоп	T-2	6.3		115	38.5	11		31.6	94.5	331		-	-	-		-		-	-	-		-		-	-	-		-	-	-	-	-	-	
Разрез	T-1	16		115		6.6		84.32		1400		2.1	-	40		2.45		1.6	-	30		1.84		3.1	-	60		3.68		3.4	-	65		3.98
Разрез	T-2	16		115		10.5		86.3		840		2.6	-	30		2.95		2.6	-	30		2.95		3.0	-	35		3.45		3.0	-	35		3.45
Рошин	T-1	10		115	38.5	11		50.2	150	525		15.2	3.0	160		30.27		15.3	3.0	160		30.53		19.4	2.0	215		38.67		16.6	2.0	185		33.13
Рошин	T-2	10		115	38.5	11		50.2	150	525		-	-	-		-		-	-	-		-		-	-	-		-	-	-	-	-	-	
Глубин	T-1	2.5		110		11		13.1		131		1.2	-	13		9.10		1.2	-	13		9.10		1.7	-	19		12.69		1.6	-	18		12.02
Глубин	T-2	2.5		115		11		12.6		131.2		-	-	-		-		-	-	-		-		-	-	-		-	-	-	-	-	-	
Алекса	T-1	1.6			35	11			26.4	88				34		38.64				36		40.91				31		35.23			34		38.64	
Веден	T-1	2.5			35	11			41	131.2				63		48.02				65		49.54				56		42.68			68		51.83	
Верхни	T-1	1			35	10.5			16.5	55				19		34.55				17		30.91				31		56.36			26		47.27	
Вишне	T-1	4			35	11			66	210				66		31.43				63		30.00				59		28.10			65		30.95	
Вишне	T-2	4			35	11			66	210				0		0.00				0		0.00				0		0.00			0		0.00	
Водоза	T-1	1			35	10.5			26.4	88				12		13.64				12		13.64				12		13.64			12		13.64	
Губеро	T-1	4			35	11			66	210				45		21.43				46		21.90				65		30.95			59		28.10	
Губеро	T-2	4			35	11			66	210				0		0.00				0		0.00				0		0.00			0		0.00	
Евгень	T-1	4			35	10.5			66	210				240		114.29				237		112.86				220		104.76			220		104.76	
Заря	T-1	2.5			35	10.5			41	131.2				63		48.02				65		49.54				61		46.49			64		48.78	
Заря	T-2	4			35	10.5			41.2	137.5				0		0.00				0		0.00				0		0.00			0		0.00	
К.Кут	T-1	4			35	10.5			66	220				0		0.00				0		0.00				0		0.00			0		0.00	
К.Кут	T-2	4			35	11			66	210				112		53.33				112		53.33				107		50.95			78		37.14	
Крылов	T-1	1.6			35	10.5			26.4	88				8		9.09				8		9.09				9		10.23			8		9.09	
Крылов	T-2	1.6			35	10.5			26.4	88				0		0.00				0		0.00				0		0.00			0		0.00	
Лазо	T-1	6.3			35	11			104	330.8				0		0.00				0		0.00				0		0.00			0		0.00	
Лазо	T-2	6.3			35	11			104	330				57		17.27				57		17.27				54		16.36			53		16.06	
ЛДК	T-1	10			38.5	6.3			150	916				0		0.00				0		0.00				0		0.00			0		0.00	
ЛДК	T-2	6.3			35	6.3			104	578				350		60.55				340		58.82				540		93.43			440		76.12	
Лугова	T-1	1.6			35	10.5			26.4	88				40		45.45				40		45.45				48		54.55			36		40.91	
Лугова	T-2	1.6			35	10.5			26.3	88				0		0.00				0		0.00				0		0.00			0		0.00	
Лукьян	T-1	1			35	10.5			16.5	55				0		0.00				0		0.00				0		0.00			0		0.00	
Лукьян	T-2	1			35	10.5			16.5	55				4		7.27				4		7.27				4		7.27			4		7.27	
Малин	T-1	1.6			35	11			26.4	88				46.5		52.84				46.6		52.95				38.7		43.98			30		34.09	
Марьян	T-1	2.5			35	11			41.2	132.5				0		0.00				0		0.00				0		0.00			0		0.00	
Марьян	T-2	2.5			35	11			41.2	132.5				0		0.00				7		5.28				6		4.53			5		3.77	
Новору	T-1	1.6			35	10.5			26.4	88				13		14.77				13		14.77				15		17.05			14		15.91	
Новору	T-2	2.5			35	10.5			26.4	88				0		0.00				0		0.00				0		0.00			0		0.00	
Новосе	T-1	2.5			35	6.3			41.2	229.5				0		0.00				0		0.00				0		0.00			0		0.00	
Новосе	T-2	0.1			35	0.4			1.63	144.3				0		0.00				0		0.00				0		0.00			0		0.00	
Новосе	T-4	1.6			35	10.5			26.4	88				40		45.45				40		45.45				38		43.18			40		45.45	
Новотд	T-1	1			35	10.5			16.5	55				5.63		10.24				5.63		10.24				5.65		10.27			0		0.00	
Пантел	T-1	4			35	11			66	210				0		0.00				0		0.00				0		0.00			0		0.00	
Пантел	T-2	4			35	11			66	210				50		23.81				50		23.81				53		25.24			55		26.19	
Пожар	T-1	2.5			35	10.5			41.2	137.5				15		10.91				15		10.91				14		10.18			16		11.64	
Пожар	T-2	1.6			35	10.5			26.4	88				0		0.00				0		0.00				0		0.00			0		0.00	
П-Фед	T-1	4			35	11			66	210				0		0.00				0		0.00				0		0.00			0		0.00	
П-Фед	T-2	2.5			35	10.5			41.2	137.5				34		24.73				33		24.00				34		24.73			30		21.82	
Ракитн	T-1	2.5			35	10.5			41.2	137.5				74		53.82				74		53.82				67		48.73			69		50.18	
Рожд	T-2	2.5			35	10.5			41.2	137.5				16.8		12.22				18.7		13.60				14		10.18			15.6		11.35	
Руновк	T-1	4			35	11			66	210				19		9.05				25		11.90				21		10.00			23		10.95	
Руновк	T-2	4			35	11			66	210				0		0.00				0		0.00				0		0.00			0		0.00	
Сташе	T-1	1.6			35	10.5			26.4	88				16		18.18				14		15.91				18		20.45			20		22.73	
Сташе	T-2	1.6			35	10.5			26.4	88				0		0.00				0		0.00				0		0.00			0		0.00	
Тихмен	T-1	1.6			35	10.5			26.4	88				10		11.36				10		11.36				10		11.36			10		11.36	
Усури	T-1	10			38.5	11			150	525				150		28.57				140		26.67				145		27.62			155		29.52	
Усури	T-2	10			38.5	11			150	525				0		0.00				0		0.00				0		0.00			0		0.00	
Хвалын	T-1	4			35	11			66	210				118		56.19				118		56.19				118		56.19			118		56.19	
Хвалын																																		

Наименование ПС	Дисп. номер тр-ра	Установленная мощность, МВА	Номинальное напряжение, кВ				Номинальный ток, А				Ток нагрузки за 1 час, А					Кэфф. загрузки за 1ч, %	Ток нагрузки за 4 часа, А					Кэфф. загрузки за 4ч, %	Ток нагрузки за 11 часов, А					Кэфф. загрузки за 11ч, %	Ток нагрузки за 19 часов, А					Кэфф. загрузки за 19ч, %	
			U ₂₂₀	U ₁₁₀	U ₃₅	U _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		
Пласту	T-2	6.3		110		11		33		331			15.0		160		48.34		16.0		168		50.76		16.0		200		60.42		16.0		188		56.80
Пласту	T-1	10.0		115		11		50		525							0.00						0.00										0.00		
Р	T-2	16.0		115		10.5		80		841		18.0		250		29.73		17.0		240		28.54		25.0		300		35.67		30.0		350		41.62	
	T-1	6.3		115		6.6		32		551		4.0		68		12.34		4.0		65		11.80		4.0		72		13.07		4.0		75		13.61	
	T-2	6.3		115		6.6		32		551						0.00						0.00						0.00					0.00		
Тимоф	T-1	2.5		110		6.6		13		219		4.0		72.8		33.24		4.0		69.6		31.78		4.0		80		36.53		5.0		84		38.36	
	T-2	6.3		110		6.6		33		550						0.00						0.00						0.00					0.00		
Черем	T-1	7.5		115		6.6		38		656		1.0		4.5		0.69		5.0		100		15.24		6.0		110		16.77		5.0		100		15.24	
Андрее	T-1	1.6				35		11		84				25		29.76				29		34.52				29		34.52				33		39.29	
	T-2	1.6				35		11		84						0.00						0.00						0.00					0.00		
Анучин	T-1	6.3				35		11		331						0.00						0.00						0.00					0.00		
	T-2	6.3				35		11		331				230		69.49				230		69.49				220		66.47				240		72.51	
Бреевк	T-1	1.6				35		10.5		88						0.00						0.00						0.00					0.00		
	T-2	1.6				35		10.5		88				40		45.45				43		48.86				15		17.05				22		25.00	
Варфо	T-1	4.0				35		10.5		220						0.00						0.00						0.00					0.00		
	T-2	4.0				35		11		210				83		39.52				97		46.19				97		46.19				111		52.86	
В-2	T-1	2.5				35		6.3		229				38		16.59				44		19.21				44		19.21				50		21.83	
	T-2	2.5				35		6.3		229						0.00						0.00						0.00					0.00		
Город	T-1	16.0				35		6.3		1466				380		25.92				320		21.83				500		34.11				600		40.93	
	T-2	16.0				35		6.3		1466				250		17.05				200		13.64				500		34.11				600		40.93	
Гражда	T-1	1.6				35		10.5		88				43		48.86				50		56.82				50		56.82				57		64.77	
	T-2	1.6				35		10.5		88						0.00						0.00						0.00					0.00		
Д	T-1	16.0				36.7		6.3		1462				720		49.25				600		41.04				840		57.46				850		58.14	
	T-2	16.0				36.7		6.3		1462				550		37.62				520		35.57				600		41.04				600		41.04	
Кавале	T-1	10.0				36.7		6.3		916				320		34.93				300		32.75				390		42.58				400		43.67	
	T-2	10.0				36.7		6.3		916				490		53.49				480		52.40				600		65.50				560		61.14	
Красно	T-1	4.0				35		6.3		366						0.00						0.00						0.00					0.00		
	T-2	5.6				35		6.3		513				77		15.01				76		14.81				95		18.52				110		21.44	
Крутая	T-1	1.0				35		6.3		92				9		9.78				9		9.78				9		9.78				9		9.78	
	T-2	1.0				35		6.3		92						0.00						0.00						0.00					0.00		
Лесная	T-1	1.0				35		6.3		92						0.00						0.00						0.00					0.00		
	T-2	2.5				35		6.3		229				22		9.61				26		11.35				26		11.35				30		13.10	
Милог	T-1	4.0				35		10.5		220				105		47.73				105		47.73				110		50.00				110		50.00	
Новос	T-1	6.3				35		6.3		578						0.00						0.00						0.00					0.00		
	T-2	6.3				35		6.3		578				280		48.44				265		45.85				285		49.31				295		51.04	
Промб	T-1	4.0				35		6.3		366						0.00						0.00						0.00					0.00		
	T-2	2.5				35		6.3		229				4.8		2.10				4.8		2.10				14.4		6.29				8.4		3.67	
Самар	T-1	1.0				35		10.5		55				42		76.36				43		78.18				32		58.18				28		50.91	
	T-2	1.6				35		10.5		88						0.00						0.00						0.00					0.00		
Сержа	T-1	6.3				38.5		6.6		551				70		12.70				67		12.16				82		14.88				93		16.88	
	T-2	6.3				38.5		6.6		551						0.00						0.00						0.00					0.00		
Соколс	T-1	1.6				35		10.5		88				9		10.23				10		11.36				9		10.23				9		10.23	
	T-2	1.6				35		10.5		88						0.00						0.00						0.00					0.00		
Тайга	T-1	4.0				35		6.6		350				130		37.14				130		37.14				140		40.00				160		45.71	
Уборка	T-1	1.6				35		10.5		88				41		46.59				45		51.14				52		59.09				56		63.64	
	T-2	1.6				35		10.5		88				40		45.45				42		47.73				51		57.95				54		61.36	
Фабрич	T-1	5.6				35		6.3		513						0.00						0.00						0.00					0.00		
	T-2	5.6				35		6.3		513				56		10.92				176		34.31				256		49.90				221		43.08	
Фабрич	T-1	5.6				35		6.3		513						0.00						0.00						0.00					0.00		
	T-2	6.3				35		6.3		578				110		19.03				100		17.30				140		24.22				150		25.95	
Фадее	T-1	1.6				35		10.5		88						0.00						0.00						0.00					0.00		
	T-2	1.6				35		10.5		88				20		22.73				22		25.00				26		29.55				26		29.55	
Хруста	T-1	1.8				35		6.3		165						0.00						0.00						0.00					0.00		
	T-2	1.8				35		6.3		165				24		14.55				24		14.55				25		15.15				30		18.18	
Центра	T-1	1.6				35		6.3		146						0.00						0.00						0.00					0.00		
	T-2	1.8				35		6.3		165				69		41.82				66		40.00				83		50.30				77		46.67	
Черны	T-1	4.0				35		10.5		220				125		56.82				124		56.36				152		69.09				170		77.27	
	T-2	6.3				35		10		364						0.00						0.00						0.00					0.00		
Яблонк	T-1	1.6				35		10		92				40		43.48				40		43.48				25		27.17				26		28.26	
	T-2	1.6				35		10.5		88						0.00		</																	

Наименование ПС	Дисп. номер тр-ра	Установленная мощность, МВА	Номинальное напряжение, кВ				Номинальный ток, А				Ток нагрузки за 1 час, А					Коэфф. загрузки за 1ч, %	Ток нагрузки за 4 часа, А					Коэфф. загрузки за 4ч, %	Ток нагрузки за 11 часов, А					Коэфф. загрузки за 11ч, %	Ток нагрузки за 19 часов, А					Коэфф. загрузки за 19ч, %			
			U ₂₂₀	U ₁₁₀	U ₃₅	U _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅	I _{6/10}	I _{6/10}		I ₂₂₀	I ₁₁₀	I ₃₅
З	T-2	10.0		110		6.6		43.3		875		12.0		240		27.43		11.0		0.0		210		24.00		17.0			320		36.57		19.0		375		42.86
Иванов	T-1	6.3		35		10.5		104.0		346		0.0		0		0.00		55.0		0		0		0.00		0.0		0		0.00		0.0		0		0.00	
Иванов	T-2	4.0		35		10.5		66		220		53.0		183		83.18		55.0		190		196		86.36		57.0		196		89.09		59.0		206		93.64	
Каменц	T-1	16.0	115	38.50	11		80.3	240	840		52.0	76.0	325		64.76		52.0	81.0	305		342		70.98		57.0	82.0	342		70.98		58.0	81.0	350		72.23		
Каменц	T-2	16.0	115	38.50	11		80.3	240	840		23.0	20.0	192		28.64		22.0	20.0	180		190		27.40		25.0	25.0	190		31.13		24.0	23.0	180		29.89		
Кожзав	T-1	40.0	115	38.50	6.6		200.4	600	3590		42.0	0.0	550	199	20.96		39.0	0.0	511	195	19.46		39.0	0.0	480	229	19.46		44.0	0.0	559	243	21.96				
Кожзав	T-2	31.5	115	38.50	6.6		158	472	2756		34.0	73.0	90	103	21.52		33.0	70.0	97	99	20.89		33.0	70.0	108	97	20.89		31.0	68.0	89	95	19.62				
Липовц	T-1	25.0	115	38.50	11		125.5	375	1316		94.0	265.0	0		53.50		88.0	245.0	0		50.09		95.0	265.0	0		54.07		95.0	274.0	0		54.07				
Липовц	T-2	16.0	115	38.50	6.6		80.3	240	1400		25.0	24.0	325		31.13		25.0	23.0	321		31.13		25.0	19.0	368		31.13		28.0	20.0	402		34.87				
Липовц	T-3	10.0	115	38.50	10.5		50.2	150	549.5		0.0	0.0	0		0.00		0.0	0.0	0		0.00		0.0	0.0	0		0.00		0.0	0.0	0		0.00				
ЛРЗ	T-1	16.0	115	38.50	6.6		80.3	240	1400		50.0	67.0	270		67.14		44.0	62.0	230		60.71		61.0	77.0	400		83.57		64.0	81.0	420		87.86				
ЛРЗ	T-2	16.0	115	38.50	6.6		80.3	240	1400		50.0	38.0	580		68.57		44.0	38.0	470		60.71		50.0	39.0	570		68.57		43.0	40.0	430		59.29				
М	T-1	7.5	121	38.50	10.5		75.2	225.0	824		25.0	15.0	220		33.24		24.0	15.0	210		31.91		29.0	17.0	280		38.56		37.0	19.0	300		49.20				
М	T-2	10.0	115	38.50	11		50.2	150	525		26.0	0.0	290		51.79		25.0	0.0	270		49.80		28.0	0.0	325		55.78		33.0	0.0	315		65.74				
М	T-3	7.5	110	38.50	10.5		39.4	112.5	412						0.00						0.00							0.00						0.00			
Между	T-1	6.3	115	38.50	6.6		31.6	84.00	551		18.0		340		61.71		17.0		320		58.08		21.0		400		72.60		24.0		460		83.48				
Между	T-2	10.0	115	38.50	6.6		50.2	150	525		19.0		365		41.71		18.0		330		37.71		22.0		410		46.86		26.0		495		56.57				
Михайл	T-1	7.5	121	38.50	6.3		35.8	112.5	688.0		29.0	7.0	510		81.01		30.0	7.0	525		83.80		29.0	7.0	510		81.01		33.0	8.0	570		92.18				
Михайл	T-2	10.0		36.75	6.3			157	916.5		29.0	7.0	510		55.65		30.0	7.0	525		57.28		29.0	7.0	510		55.65		33.0	8.0	570		62.19				
Мучная	T-1	10.0	115	38.50	11		50.2	150	525		4.0		38.4		7.31		4.0		43.5		8.29		4.0		45.3		8.63		4.0		42.6		8.11				
Мучная	T-2	10.0	115	38.50	11		50.2	150	525		14.0		154.2		29.37		14.0		156.1		29.73		15.0		166.6		31.73		17.0		191.2		36.42				
Ново-Н	T-1	10.0		35	6.6			165	875			37.0	210		24.00			33.0	188		21.49			50.0	188		21.49		50.0	213		24.34					
Ново-Н	T-2	16.0	115	38.50	6.6		80.3	240	1468		23.0	55.0	123		28.64		22.0	53.0	98		27.40		27.0	55.0	188		33.62		33.0	49.0	350		41.10				
Павлоц	T-1	10.0	110	38.50	6.6		52.5	150	875		14.0		210		26.67		14.0		250		26.67		18.0		300		34.29		20.0		36		38.10				
Павлоц	T-2	10.0	110	38.50	6.6		52.5	150	875		40.0	100.0			76.19		43.0	115.0			81.90		36.0	108.0			68.57		37.0	110.0		70.48					
Павлоц	T-1	16.0	115	38.50	6.6		80.3	240	1468		12.0	50.0	0		14.94		15.0	60.0	0.1		18.68		15.0	50.0	6		18.68		30.0	70.0		37.36					
Павлоц	T-2	16.0	115	38.50	6.6		80.3	240	1468		20.0	35.0	1		24.91		20.0	40.0	1		24.91		20.0	35.0	1		24.91		20.0	45.0	1		24.91				
Петров	T-1	10.0	115	38.50	11		50.2	150	525		2.0	7.0			3.98		4.5	15.0			8.96		8.5	29.0			16.93		6.0	21.0		11.95					
Петров	T-2	10.0	115	38.50	11		50.2	150	525		0.5		7		1.00		1.0		11		1.99		1.0		10		1.99		1.0		10		1.99				
Петров	T-3	6.3	115	38.50	6.3		103.9	300	1000		демонтирован				0.00						0.00						0.00						0.00				
Полев	T-1	16.0	115	38.50	10.5		80.3	240	879		3.0	9.0	4		3.74		3.0	9.0	3		3.74		3.0	8.0	2		3.74		3.0	8.0	3		3.74				
Полев	T-2	16.0	115	38.50	10.5		80.3	240	879		16.0	8.0	150		19.93		16.0	8.0	148		19.93		18.0	8.0	180		22.42		18.0	8.0	180		22.42				
Полев	T-3	16.0	115	38.50	10.5		80.3	240	879		72.0	210.0	75		89.66		71.0	210.0	65		88.42		77.0	225.0	80		95.89		80.0	230.0	94		99.63				
Приоз	T-1	6.3	115	38.50	10.5		31.6	84.00	346		1.0		12		3.47		1.0		12		3.47		1.0		12		3.16		1.0		12		3.16				
Приоз	T-2	6.3	115	38.50	10.5		31.6	84.00	346		1.0		15		4.34		1.0		15		4.34		2.0		18		5.20		1.0		15		4.34				
Промы	T-1	16.0	115	38.50	11.0		80.3	240	842		14.0		174		20.67		14.0		169		20.67		19.0		229		27.20		17.0		205		24.35				
Промы	T-2	10.0	115	38.50	11.0		50.2	150	525		9.0		98		18.67		7.0		85		16.19		7.0		88		16.76		7.0		84		16.00				
Реттих	T-1	5.6	121	38.50	6.3		26.7	84.00	513.5		4.0		78		15.19		4.0		76		14.80		5.0		94		18.31		5.0		103		20.06				
Реттих	T-2	7.5	110	38.50	6.6		39.4	112.5	656		0.0		0		0.00		0.0		0		0.00		0.0		0		0.00		0.0		0		0.00				
Студог	T-1	10.0		36.75	6.3			157	916				230		25.11				195		21.29				390		42.58				385		42.03				
Студог	T-2	16.0	115	38.50	6.6		80	240	1400				280		20.00				275		19.64				365		26.07				360		25.71				
УКФ	T-1	25.0	115	38.50	6.3		125.5	375	1316		29.0		213	338	48.08		29.0		234	335	49.65		27.0		233	286	45.29		29.0		234	320	48.34				
УКФ	T-2	25.0	115	38.50	6.3		125.5	375	1316		26.0		129	382	44.59		26.0		142	369	44.59		28.0	154.0	154	383	46.86		28.0		145	389	46.80				
Уссури	T-1	31.5	115	38.50	6.6		158.2	472	2756		51.0		950		32.24		49.0		910		30.97		63.0		1169		39.82		63.0		1179		39.82				
Уссури	T-2	40.0	115	38.50	6.6		200.4	600	3590		112.0	358.0			55.89		101.0	332.0			50.40		134.0	428.0			66.87		134.0	433.0		66.87					
Хоролц	T-1	25.0	115	38.50	11		125.5	375	1316		19.0	33.0	109.5		15.14		19.0	29.0	118		15.14		22.0	33.0	136		17.53		23.0	36.0	144		18.33				
Хоролц	T-2	20.0	112	38.50	10.5		103.1	300	1100		37.5		418		36.37		36.0		408		34.92		36.0		407		34.92		38.0		427		36.86				
Черниг	T-1	10.0	115	38.50	11		50.2	150	525				69	</																							

